Dandle WRAP™ and DandleWRAP™ Stretch

DEHP free, Not made with natural rubber latex

The Dandle WRAPTM and Dandle WRAPTM Stetch are reusable positioning aids that can be used with hospitalized infants to provide neurodevelopmental support while the baby is sleeping, eating or being bathed or held. It can also be used to provide support during procedures or while the baby is being handled. The Dandle WRAPTM provides additional support for low tone and premature infants while adhering to the Back to Sleep guidelines.



WARNINGS:

- . Hospital use only.
- Do not place wings or pouch around the baby's neck or face or use in any manner that might restrict infant's breathing.
- . Between patients, wash according to hospital policy.
- Monitor infant's temperature to prevent overheating.
- Be sure Velcro is attached securely by pressing it together from both sides. Avoid contact between the Velcro hook and the baby's skin.







CLEANING INSTRUCTIONS:

Wash in water temperatures up to 77° C. To minimize graying, fading, and fabric/Velcro® degradation, use only peroxide ('color-safe') bleach. Fasten Velcro closures before washing and drying. Dry at temperatures up to 77° C.

INSTRUCTIONS FOR USE:

Select the correct size Dandle WRAP™ according to the infant's size and body proportions.

- 1. Place Dandle WRAP™ on a supportive surface with the wings out to the sides and the pouch opened up at the bottom. The Velcro loop should be on the outside of the back.
- 2. Place baby supine on the WRAP with the top of the shoulders lined up just below the top of the WRAP.
- 3. Bring upper extremities into midline flexion with hands near face. Pull the shorter wrap down over the shoulder and across the arms, rounding shoulder forward. Pull the longer wrap over top, rounding shoulders and containing arms comfortably. Fasten to the backside. Adjust according to baby's needs and medical condition.
- 4. Flex baby's lower extremities into a neutral midline position, supporting the pelvis in a posterior tilt.
- 5. Safely arrange any tubing and medical equipment so they may exit the side.
- 6. Bring pouch up over the legs and feet. Fasten to the backside. Adjust according to baby's needs and medical condition.
- 7. May be used in any position (prone, supine or side-lying) with medical supervision.

BACK TO SLEEP GUIDELINES for use with Dandle WRAP™ and Dandle WRAP™ Stretch:

Follow all instructions except:

- a. Step 3: Ensure that WRAP does not become loose around baby's face by either securing it snugly with the fasteners or placing the shorter wrap underneath the baby's armpits rather than over the shoulders to ensure baby will not nestle down into the WRAP.
- b. Step 7: Baby should always be placed on his/her back to sleep.

917:Rev5

DandleLION Medical www.dandleLIONmedical.com

22 Shelter Rock Lane 203-791-9001 Danbury, CT 06810 © DandleLION Medical 2009

Dandle WRAP™ and DandleWRAP™ Stretch

DEHP free, Not made with natural rubber latex

The Dandle WRAP™ and Dandle WRAP™ Stetch are reusable positioning aids that can be used with hospitalized infants to provide neurodevelopmental support while the baby is sleeping, eating or being bathed or held. It can also be used to provide support during procedures or while the baby is being handled. The Dandle WRAP™ provides additional support for low tone and premature infants while adhering to the Back to Sleep guidelines.



WARNINGS:

- · Hospital use only.
- Do not place wings or pouch around the baby's neck or face or use in any manner that might restrict infant's breathing.
- . Between patients, wash according to hospital policy.
- Monitor infant's temperature to prevent overheating.
- Be sure Velcro is attached securely by pressing it together from both sides. Avoid contact between the Velcro hook and the baby's skin.







CLEANING INSTRUCTIONS:

Wash in water temperatures up to 77° C. To minimize graying, fading, and fabric/Velcro® degradation, use only peroxide ('color-safe') bleach. Fasten Velcro closures before washing and drying. Dry at temperatures up to 77° C.

INSTRUCTIONS FOR USE:

Select the correct size Dandle WRAP $^{\text{TM}}$ according to the infant's size and body proportions.

- 1. Place Dandle WRAP™ on a supportive surface with the wings out to the sides and the pouch opened up at the bottom. The Velcro loop should be on the outside of the back.
- 2. Place baby supine on the WRAP with the top of the shoulders lined up just below the top of the WRAP.
- 3. Bring upper extremities into midline flexion with hands near face. Pull the shorter wrap down over the shoulder and across the arms, rounding shoulder forward. Pull the longer wrap over top, rounding shoulders and containing arms comfortably. Fasten to the backside. Adjust according to baby's needs and medical condition.
- 4. Flex baby's lower extremities into a neutral midline position, supporting the pelvis in a posterior tilt.
- 5. Safely arrange any tubing and medical equipment so they may exit the side.
- 6. Bring pouch up over the legs and feet. Fasten to the backside. Adjust according to baby's needs and medical condition.
- 7. May be used in any position (prone, supine or side-lying) with medical supervision.

BACK TO SLEEP GUIDELINES for use with Dandle WRAP™ and Dandle WRAP™ Stretch:

Follow all instructions except:

- a. Step 3: Ensure that WRAP does not become loose around baby's face by either securing it snugly with the fasteners or placing the shorter wrap underneath the baby's armpits rather than over the shoulders to ensure baby will not nestle down into the WRAP.
- b. Step 7: Baby should always be placed on his/her back to sleep.

917:Rev5